

Документ подписан простой электронной подписью
Информация о владельце:
ФИО: Косенок Сергей Михайлович
Должность: ректор
Дата подписания: 16.06.2026 09:17:41
Уникальный программный ключ:
e3a68f3eaa1e62674b54f4998099d3d6bfdcf836

Diagnostic testing
Discipline “Pharmacology”
Terms 5,6

| | |
|----------------------------|---------------------------|
| Curriculum | 31.05.01 |
| Specialty | General Medecine |
| Form of education | Full-time |
| Designer Department | Morphology and Physiology |
| Graduate Department | Internal Diseases |

Term 5

| Competence | Task | Answers | Type of complexity |
|---------------------------------------|---|---|---------------------------|
| GPC-7.1, GPC-7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>1. Novocaine belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>2. Adrenaline is related to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>3. Metoprolol belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>4. Atropine belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>5. Proserin belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>6. Parenteral routes of drug administration are</i> | 1) oral 2) subcutaneous 3) intramuscular 4) intravenous 5) intra-arterial | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>7. Enteral routes of drug administration are</i> | 1) oral 2) sublingual 3) rectal 4) intravenous 5) intra-arterial | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>8. Nurofen has an effect</i> | 1) antipyretic 2) anti-inflammatory 3) painkillers 4) anticonvulsant 5) antiarrhythmic | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>9. As an antipyretic in a child, we can recommend</i> | 1) ibuprofen 2) acetylsalicylic acid 3) promedol 4) benzylpenicillin 5) acetylcysteine | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>10. Analgesic for pain relief of child-birth</i> | 1) paracetamol 2) acetylsalicylic acid 3) promedol 4) meloxicam 5) diclofenac | medium |
| GPC -7.1, | Choose the correct | 1) noseepam | medium |

| | | | |
|------------------------------------|---|--|--------|
| GPC -7.4, PC-5.1, PC-5.4 | answers <i>11. Sleeping pills include</i> | 2) imovan 3) zolpidem 4) thermopsis grass 5) birch buds | |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>12. Narcotic analgesics include</i> | 1) magnesium sulfate 2) morphine 3) promedol 4) fentanyl 5) droperidol | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>13. The following drugs are used in the treatment of epileptic disease</i> | 1) aspirin 2) benzonal 3) sodium valproate 4) phenobarbital 5) pregabalin | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>14. To relieve an attack of bronchospasm, use</i> | 1) xylometazoline 2) mezatol 3) salbutamol 4) phenoterol 5) euphyllin | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>15. Painkillers are</i> | 1) warfarin 2) neodicoumarin 3) nimesulide 4) diclofenac 5) promedol | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>16. Distribute the drugs into groups</i> | 1) adrenomimetics 2) adrenaline blocker 3) cholinoblocker A) adrenaline B) atropine C) norepinephrine D) anaprilin E) bisoprolol | high |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>17. Distribute the drugs according to the indications for use</i> | 1) pain treatment 2) treatment of rhinitis, sinusitis 3) relief of vascular collapse A) paracetamol B) xylometazoline C) norepinephrine D) mezatol E) analgin | high |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Complete the sentence <i>18. Dilitin refers to depolarizing muscle relaxants and causes paralysis, which is called</i> | | high |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct combination of answers <i>19. Specify effective combinations of drugs: a) beta-blockers + alpha-blockers; b) anal-</i> | 1) a, c 2) b, c 3) a, b, d 4) c, d 5) a, b | high |
| | | | |

| | | | |
|---------------------------------------|---|---|------|
| | <i>gin + diphenhydramine; c) beta1,2-blockers + beta1-blockers; d) lidocaine + adrenalin.</i> | | |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>20. Distribute funds by effects</i> | 1) dilate the bronchi 2) constrict blood vessels 3) have a local anesthetic effect A) salbutamol B) epinephrine C) norepinephrine D) lidocaine E) novocaine E) phenoterol G) mezon | high |

Term 6

| Competence | Task | Answers | Type of complexity |
|---------------------------------------|---|---|---------------------------|
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>1. Lidocaine belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>2. Norepinephrine belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>3. Bisoprolol belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>4. Atropine belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answer <i>5. Pilocarpine belongs to the group</i> | 1) adrenomimetics 2) adrenoblockers 3) local anesthetics 4) cholinomimetics 5) holinoblockers | low |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>6. Parenteral routes of drug administration are</i> | 1) oral 2) subcutaneous 3) intramuscular 4) intravenous 5) intra-arterial | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers <i>7. Enteral routes of drug administration are</i> | 1) oral 2) sublingual 3) rectal 4) intravenous 5) intra-arterial | medium |
| GPC -7.1, | Choose the correct | 1) antipyretic | medium |

| | | | |
|------------------------------------|---|---|--------|
| GPC -7.4, PC-5.1, PC-5.4 | answers 8. <i>Ibuprofen has an effect</i> | 2) anti-inflammatory 3) painkillers 4) anticonvulsant 5) antiarrhythmic | |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 9. <i>As an antipyretic in a child, it is recommended</i> | 1) paracetamol 2) acetylsalicylic acid 3) promedol 4) benzylpenicillin 5) acetylcysteine | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 10. <i>Analgesic for pain relief of child-birth</i> | 1) paracetamol 2) acetylsalicylic acid 3) promedol 4) meloxicam 5) diclofenac | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 11. <i>Cardiac glycosides include</i> | 1) digitoxin 2) digoxin 3) strophanthin 4) thermopsis grass 1) 5) birch buds | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 12. <i>Enzyme preparations that improve digestion are</i> | 1) magnesium sulfate 2) festal 3) mezim 4) pancreatin 5) unienzyme | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 13. <i>The following groups of drugs are used in the treatment of coronary heart disease</i> | 1) m-holinoblockers 2) antiplatelet agents 3) beta blockers 4) organic nitrates 5) calcium channel blockers | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 14. <i>To relieve an attack of bronchospasm, use</i> | 1) xylometazoline 2) mezatol 3) salbutamol 4) phenoterol 5) euphyllin | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 15. <i>Low molecular weight heparins are</i> | 1) warfarin 2) neodicoumarin 3) fraxiparin 4) enoxaparin 5) reviparin | medium |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 16. <i>Distribute antibiotics aminoglycosides into groups</i> | 1) 1 generation 2) 2nd generation 3) 3rd generation A) streptomycin B) amikacin C) kanamycin D) tobramycin E) gentamicin | high |
| GPC -7.1, GPC -7.4, PC-5.1, PC-5.4 | Choose the correct answers 17. <i>Distribute antiviral drugs according to indications for use</i> | 1) flu treatment 2) treatment of herpes 3) HIV treatment A) remantadine B) acyclovir C) dolutegravir D) lamivudine | high |

| | | | |
|---|--|---|------|
| | | D) arbidol | |
| GPC -7.1, GPC -7.4, PC- 5.1, PC-5.4 | Complete the sentence 18. Ditilin refers to depolarizing muscle relaxants and causes paralysis, which is called | | high |
| GPC -7.1, GPC -7.4, PC- 5.1, PC-5.4 | Choose the correct combination of answers 19. Specify combinations that are effective in the treatment of hypertension: a) beta-blockers + diuretics; b) i-ACE + diuretics; c) beta-1,2-blockers + beta1-blockers; d) beta-blockers + verapamil. | 1) a, c 2) b, c 3) a, b, c 4) c,d 5) a, b | high |
| GPC -7.1, GPC -7.4, PC- 5.1, PC-5.4 | Choose the correct answers 20. Distribute antimicrobials into groups | 1) fluoroquinolones 2) cephalosporins 3) carbapenems A) ciprofloxacin B) cefazolin C) ceftriaxone D) meropenem D) doripenem E) levofloxacin G) cefepim | high |